EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	WO-2001074702-$.DID. OR JP-3289834-$.DID. OR JP-9282046-$.DID. OR JP-10311997-$.DID. OR JP-2000244585-$.DID. OR JP-2272975-$.DID. OR JP-2003125020-$.DID. OR JP-2001285394-$.DID. OR JP-3457636-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 12:00
S3	1	"10584106"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 15:19
S6	22	(((JAMES) near2 (BECKMAN)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:15
S7	112	(((JOSEPH) near2 (CHAN)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:15
S8	41	(((FARROKH) near2 (ABRISHAMKAR)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:15
S9	9	(((MATTHIAS) near2 (BREHLER)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:15
S10	4	(((MICHAEL) near2 (LEVIANT)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:16
S11	818	"370/210".CCLS.	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:16
S12	33	cyclic with "1" with "n" with communication	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:16
S13	99	cyclic communication	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:50
S14	1190	cyclic near5 communication	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:50
S15	350	cyclic near2 communication	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:51
S16	559	cyclic near2 communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 16:51
S17	12	non-cyclic near2 communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 16:55

S18	160	(cyclic near2 communication).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 16:56
S19	124	(cyclic near2 communication).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 16:56
S20	179	time with assign$5 with cycle with communication	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:59
S21	10	S20 and S14	US-PGPUB; USPAT	ADJ	ON	2009/04/13 16:59
S22	8151	ack and (nak or nack)	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:00
S23	0	S22 and S21	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:01
S24	16	S22 and S11	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:01
S25	0	S22 and S21	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:11
S26	5	S22 and S20	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:11
S27	8	tine near divi$8 near multipl$8	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:12
S28	57069	time near divi$8 near multipl$8	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:12
S29	1488	(time$1 with synchroniz $6) and (ACK and (NACK or NAK))	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:19
S30	70508	communication near control	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:20
S31	5002	communication near control near system	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:20
S32	448	S28 and S29	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:20
S33	11	S32 and S31	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:20
S34	20522	assign$8 with time with (channel or slot)	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:28
S35	8151	ACK and (NAK or NACK)	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:28
S36	852	S35 and S34	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:28
S38	82318	time$1 near5 synchroniz $6	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:29

S39	239	S36 and S38	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:29
S41	239	S39 and S39	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:37
S43	0	S41 and (synchronous near5 comminication)	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:39
S44	40	S41 and (synchronous near5 communication)	US-PGPUB; USPAT	ADJ	ON	2009/04/13 17:39
S45	1	(sata with loopback).ti.	US-PGPUB; USPAT	ADJ	ON	2009/04/14 09:06
S46	176	(time near2 divi$5 near2 multipl$8) and ARQ and ACK and (NACK or NAK) and (sequenc$6 near5 $4packet$1)	US-PGPUB; USPAT	ADJ	ON	2009/04/14 10:02
S47	7	S46 and (receive$4 with time with buffer with data)	US-PGPUB; USPAT	ADJ	ON	2009/04/14 10:02
S48	17	S46 and (group near2 address)	US-PGPUB; USPAT	ADJ	ON	2009/04/14 10:05
S49	7	S46 and MPLS	US-PGPUB; USPAT	ADJ	ON	2009/04/14 10:14
S50	21	S46 and (priorit$8 with queu$5 with packet)	US-PGPUB; USPAT	ADJ	ON	2009/04/14 10:16
S51	2	S46 and (second with third with layer)	US-PGPUB; USPAT	ADJ	ON	2009/04/14 10:18
S52	6	queue$1 with between with second with third with layer	US-PGPUB; USPAT	ADJ	ON	2009/04/14 10:19
S54	37	S46 and timer and synchroniz$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 10:40
S55	22	S46 and timer and synchroniz$8 and synchronous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 10:48
S56	2	S46 and (time with data with pair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 10:51
S57	24	S46 and (time near10 pair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 10:51

S59	2	S46 and (time near10 packet near10 record$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 10:52
S60	37	S46 and timer and synchroniz$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 10:54
S61	5291	group$3 with based with address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 11:07
S62	0	S61 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 11:07
S63	71033	group$3 with address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 11:07
S64	22	S63 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 11:07
S65	517	(370/321).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/04/14 11:37
S66	2	S46 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 11:37
S67	0	S46 and (cyclic near2 communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 11:40
S68	6	S46 and (cyclic with communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 11:40
S69	1	("20030067907").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/14 11:59

S70	129	ARQ near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 12:04
S71	6	ARQ near mode near "1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 12:04
S72	1	("20030110435").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/14 12:05
S75	20	arq and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 13:56
S76	28	arq and v$lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 13:56
S77	22	S76 and group$2 and v$lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 13:57
S78	0	S46 and group$2 and v$lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 13:58
S79	18	S76 and group$2 and address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 13:58
S80	4	S76 and group$2 with address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 13:58
S81	2	S76 and group$2 near2 address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 14:05
S82	270	arq and group$2 with address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 14:09

S83	270	arq and (group$2 with address$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 14:09
S84	147	arq and (group$2 with address$2) and lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 14:10
S85	0	arq and (group$2 with address$2) and (virtual near lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 14:10
S86	212	(go near back near N) with ARQ	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:33
S87	182	(go near back near N) near5 ARQ	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:34
S88	15	S87 with sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:34
S89	6	S86 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:36
S90	57	S46 and buffer with (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:08
S91	3	S46 and (SIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:10
S92	1909	buffer with (time or timestamp) with pair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:41

S93	98	buffer with (time or timestamp) with packet with pair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:41
S94	19	(buffer with (time or timestamp) with packet) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:42
S95	0	(buffer with (time or timestamp) with packet with pair) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:44
S96	1	(buffer with (time or timestamp) with packet with reception) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:44
S97	6	(buffer with (time or timestamp) with packet with receiv$4) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:59
S98	0	(buffer with (timestamp) with packet with receiv$4) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 17:09
S99	5	((timestamp) with packet with receiv$4) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 17:09
S100	132	((timestamp) with packet with receiv$4 with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 17:12
S101	2	((timestamp) with packet with receiv$4 with buffer) and ARQ	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 17:12
S102	6	((timestamp) with packet with receiv$4 with buffer) and ACK and NACK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 17:13

S103	35	((timestamp) with packet with receiv$4) and ACK and NACK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 17:15
S104	16	((timestamp) with packet with receiv$4 with attach $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 17:17
S105	88	"5541919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 17:37
S106	1	("5541919").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/14 17:38

4/20/2009 10:35:39 AM
C:\ Documents and Settings\ omian\ My Documents\ EAST\ Workspaces\ 10584106.wsp